



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

| | |
|----------------------------------|-------------------------------------|
| Product Name | DISPROPORTIONATED ROSIN |
| Product Identification Number(s) | |
| Manufacturer/Supplier | West Tech Chemical Co.,Ltd |
| MSDS Prepared by | West Tech Product Safety and Health |
| Chemical Name | DISPROPORTIONATED ROSIN |
| Synonym(s) | |
| Molecular Formula | not applicable |
| Molecular Weight | not applicable |
| Product Use | adhesive |
| OSHA Status | nonhazardous |

2. COMPOSITION INFORMATION ON INGREDIENTS

(Typical composition is given, and it may vary. A certificate of analysis can be provided, if available.)

| <u>Weight %</u> | <u>Component</u> | <u>CAS Registry No.</u> |
|-----------------|-------------------------|-------------------------|
| 100% | DISPROPORTIONATED ROSIN | 1446-61-3 |

3. HAZARDS IDENTIFICATION

LOW HAZARD FOR USUAL INDUSTRIAL OR COMMERCIAL HANDLING BY TRAINED PERSONNEL

HMIS® Hazard Ratings: Health - 1, Flammability -1, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

4. FIRST-AID MEASURES

Inhalation: Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

Eyes: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms occur.

Skin: Wash with soap and water. If skin irritation or an allergic skin reaction develops, get medical attention.

Ingestion: Seek medical advice.

5. FIRE FIGHTING MEASURES

Extinguishing Media: water spray, dry chemical, carbon dioxide, foam

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Hazardous Combustion Products: carbon dioxide, carbon monoxide

Unusual Fire and Explosion Hazards: Powdered material may form explosive dust-air mixtures.



MATERIAL SAFETY DATA SHEET

Sensitivity to Static Discharge: Material may accumulate a static charge which could act as an ignition source.

6. ACCIDENTAL RELEASE MEASURES

Wear appropriate personal protective equipment. Sweep up and place in a clearly labeled container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams.

7. HANDLING AND STORAGE

Personal Precautionary Measures: Avoid prolonged or repeated contact with skin.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials. Minimize dust generation and accumulation. In the United States of America, refer to NFPA® Pamphlet No. 654, "Prevention of Fire and Dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries."

Storage: Keep container tightly closed and in a well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Country specific exposure limits have not been established or are not applicable unless listed below.

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances; such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: dust

Eye Protection: Wear safety glasses with side shields (or goggles).

Skin Protection: It is a good industrial hygiene practice to minimize skin contact. For operations where prolonged or repeated skin contact may occur, chemical-resistant gloves should be worn. Contact health and safety professional or manufacturer for specific information.

Recommended Decontamination Facilities: eye bath, washing facilities

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: solid

Color: amber

Odor: slight, rosin

Softening Point: 75 °C

Solubility in Water: negligible

Flash Point: 210 °C (closed cup)

Thermal Decomposition Temperature: (DSC) No exotherm to 480-500°C



MATERIAL SAFETY DATA SHEET

10. STABILITY AND REACTIVITY

Stability: Not fully evaluated. Materials containing similar structural groups are normally stable.
Incompatibility: Material reacts with strong oxidizing agents.
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Skin: Prolonged or repeated contact may cause skin sensitization in susceptible individuals. Acute toxicity data, if available, are listed below. Additional toxicity data may be available on request.

12. ECOLOGICAL INFORMATION

Acute toxicity data, if available, are listed below. Additional toxicity data may be available on request.

This material has not been tested for environmental effects.

13. DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws. Incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

Sea - IMDG (International Maritime Dangerous Goods)

Class not regulated